



p r o d u c t



c a t a l o g u e



the most trusted brand...

ISO 9001:2008



COMPANY PROFILE

DOFIT have a great pleasure in introducing ourselves as one of the leading Manufactures supplier of various Architectural Glass Hardware, Metro Train interior, Building Hardware, Sheet Metal & Press Parts.

We are equipped with required equipment's for manufacturing various components / spares and also catering the needs of oriented Organization those who need quality & precision Machine.


We are also have in house Tool room facility & associated with group of firms having Laser Cutting Machine.

DOFIT is committed to deliver reliable & cost effective parts related to Transport Industry, Architectural Glass Fittings & be a partner to the customer's growth by offering value for money service.

We aim to achieve this by team work & continual improvement in our product & processes by adapting to sustainable technologies & with constant to minimize wasteful practices including skill development of our work force.

We shall always be remaining committed to our customer requirements & targets in order to be a preferred choice of supplier.

Floor Spring



Installations

- A . Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- B. Drill holes on the floor according to the instructions. The sizes of the holes must tightly math the floor spring.
- C. Place the floor spring into the holes and positions it.
- D. Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- E. Adjust the screws at three directions. Make them vertical and the upper and lower pivot center coincide with each other.
- F. Adjust the speed of door closing.
- G. Put the decoration cover in the floor spring.

TESTED TO 500000 Cycles



DFFS-7400 / Single Spring Floor Hinge

- ✓ General design, suitable for left or right hand to open the door in single and both sides.
- ✓ Used low temp. hydraulic oil for any climate operation and constant lubrication.
- ✓ Suitable for wooden, aluminium & toughened glass doors.
- ✓ Suitable for door weight upto 75kg.
- ✓ Closing force 19nm.
- ✓ Suitable for maximum wide door leaf



DFFS-8400 / Double Spring Floor Hinge

- ✓ General design, suitable for left or right hand to open the door in single and both sides.
- ✓ Used low temp. hydraulic oil for any climate operation and constant lubrication.
- ✓ Suitable for wooden, aluminium & toughened glass doors.
- ✓ Suitable for door weight upto 120kg.
- ✓ Closing force 25nm.
- ✓ Suitable for maximum wide door leaf



DFFS-9400 / Double Spring Floor Hinge

- ✓ General design, suitable for left or right hand to open the door in single and both sides.
- ✓ Used low temp. hydraulic oil for any climate operation and constant lubrication.
- ✓ Suitable for wooden and toughened glass doors.
- ✓ Suitable for door weight upto 150kg.
- ✓ Closing force 25nm.
- ✓ Suitable for maximum wide door leaf (1200mmx2500mm).

DO FITTM


Hydraulic Patch



DFHFS-100
Hydraulic Floor Spring

Product Specification

- Suitable door weight : Max 100kg
- Suitable door width : 750-1000mm
- Suitable door thickness : 8-13mm
- Ambient temperature : -20°C~+50°C
- Quick and easy installation



DFPF-1 / Bottom Patch



DFPF-2 / Top Patch



DFPF-3 / Over Panel Side Panel
Connecting Patch with Pivot



DFPF-4 / Wall Mounted Over Panel
Patch with Pivot



DFPF-610 / Over Panel Side Panel
Patch Connector



DFPF-51 / Over Panel Connector
for Back to Back Doors



DFPF-650 / Glass to Glass
Connecting Patch to Wall/Ceiling



DFPF-620 / Quadruple Patch



DFPF-41L / Over Panel Side Panel
Connector with Fin Fitting (Left)



DFPF-41R / Over Panel Side Panel
Connector with Fin Fitting (Right)

Patch Fittings



- Patch fittings made of superior aluminum alloy casting body.
- Material used is of very fine quality which minimizes the chance of breakage and also enhances the gripping of glass to patch.
- High quality tempered precision screws are used for solid gripping.
- Cover plate is high quality SS 304 Grade.
- Easy glass preparation & installation.
- Their slim design & superior surface finish.



DFPL-1 / Corner Patch Lock with Strike Plate



DFPL-2B / Strike Box



DFPL-2A / Centre Patch Lock for Double Door



DFPF-630 / Double Glass Connector with Fin Fitting Inside



DFPF-620F / Quaduple Connector with Fin



DFPF-660 / Double Glass Connector



DFPF-611 / Over Panel Side Panel Connector with Stopper



DFPF-640 / Wall to Glass Clamping Patch



DFPF-80 / Mini Floor Hinge



DFPF-70 / Stainless Steel Top Pivot



DFSH-OFS-111 / Wall to Glass Off Set Hinge 90°



DFSH-111 / Wall to Glass Hinge 90°



DFSH-222 / Glass to Glass Hinge 180°



DFSH-333 / Glass to Glass Hinge 135°



DFSH-444 / Glass to Glass Hinge 90°



DFSH-555 / Wall to Glass Fix Bracket 90°

Glass Connectors



DFGC-1 / Floor Mounted Glass Connector



DFGC-2 / Glass to Glass Connector 135°




DFGC-3 / Glass to Glass Connector 90°



DFGC-4 / Wall to Glass Connector 90°



DFGC-5 / Glass to Glass Connector 180°



Shower Knight Head Acc.

Finish : PSS/SSS



DFKH-1 / Terminating Sleeve (Wall to Pipe)



DFKH-2 / Reinforcing Bar Support (Pipe to Glass)



DFKH-2A / Reinforcing Bar Support with Blind Hole



DFKH-3 / Pipe Connector



DFKH-4 / -Connector (Pipe to Pipe)



DFKH-ACC-19 / Reinforcing Pipe (Dia 19mm)

Plastic Profiles

Plastic Profile for 10/12mm Glass
Size : 2.2mtr.



DFPS-1 / F Seal




DFPS-2 / Centre Seal



DFPS-3 / Side Seal



DFPS-4 / D Seal



DFPS-5 / Soft Nose Seal




DFPS-M1-180 / Magnetic Seals 180°




DFPS-M2-135 / Magnetic Seals 135°



DFPS-M3-90 / Magnetic Seals 90°



DFSL-11A
Shower Sliding Roller



DFSL-11B / Wall to Glass
Connector



DFSL-11C / Wall to Glass
Connector with Stopper



DFSL-11 SB / Stopper
with Bumper



DFSL-11 OHS / Stopper
with Over Head Support




DFSL-11G / Floor Guide



DFSL-ACC-25 / Shower
Sliding Pipe



Shower Sliding System




DFSL-11-A1 / Sliding Door
Roller Set



DFSL-11-A2 / Track to Glass
Holder



DFSL-11-A3 / Stopper



DFSL-11-A4 / Floor Guide



DFSL-11-A5 / Wall to Track
Connector

(Available in 1.5, 1.8 & 2.1 Mt)



DFSL-11-Track / Shower
Sliding Track



DFSL-44-A1 / Roller
(Max. Door Wt. 40 Kg)




DFSL-44-A2 / Roller
(Max. Door Wt. 80 Kg)



DFSL-HN-50
Sliding Door Handle



DFSL-HN-60
Sliding Door Handle



DFSL-HN-70
Sliding Door Handle



DFSL-HN-80
Sliding Door Handle



DFSDL-13A
Sliding Door Lock

DFSDL-13B
Strike Box



DFSDL-13A+13C / Sliding
Door Lock with Strike Plate



DFSDL-13D / Strike Box
for Overlap Glass



DFSDL-15 / Sliding Door Lock



DFSL-44-A5 / Wall to Track
Clamp



DFSL-44-A6 / Glass to Track
Clamp



DFSL-44-A3 / Stopper



DFSL-44G / Floor Guide



DFSL-44-A4
Cover Plate for Track



DFSL-44-B1 / Aluminium Track
(Only Door)

Available in :-
2 mtr.
3 mtr.
4 mtr.



DFSL-44-B2 / Aluminium Track
(Double Door)

Available in :-
2 mtr.
3 mtr.
4 mtr.



DFSL-44-B3 / Aluminium Track
(Door+Fix Glass)

Available in :-
2 mtr.
3 mtr.
4 mtr.



DFSL-44-A8
90° Track Connector



DFSL-44-A9
Wall to Track Connector

Sliding Door System



DFSL-33-TH-WL / Wall to Rod Holder



DFSL-33H / Glass to Glass Connector 180°



DFSL-33-TH-G2 / Glass to Rod Clamp



DFSL-33-TH / Wall to Rod Clamp



DFSL-22A
Sliding Door Roller



DFSL-33A
Sliding Door Roller



DFSL-33B / Door Stopper



DFSL-33-TH-C2 / Ceiling to Rod Clamp



DFSL-33G / Floor Guide



DFSL-ACC-25 / Sliding Pipe



DFSFS-1 / Fixed Hinge



DFSFS-2 / Glass to Glass Hinge



DFSFS-3 / Hinge with Roller



DFSFS-6 / Glass to Glass Hinge with Lock



DFSFS-4 / End Hinge with Roller




DFSFS-5 / Floor Fixed Hinge




DFSFS-7 / Glass to Glass Hinge with Guide



DFSFS-8 / End Hinge with Guide



DFSFS-9 / Wall to Glass Hinge



DFSFS-10 / Floor Track Bottom (S.S)



DFSFS-11 / Aluminium Top Track



Locks Without Cutout



DFPL-3A / Single Door Lock with Strike Plate (One Side Key only)



DFPL-4A / Single Door Lock with Strike Plate (One Side Key only)



DFPL-6A / Single Door Lock with Strike Plate (One Side Key only)



DFPL-7A / Single Door Lock with Strike Plate (One Side Key only)



DFPL-3B / Single Door Lock with Strike Plate (Double Side Key only)



DFPL-4B / Single Door Lock with Strike Plate (Double Side Key only)



DFPL-6B / Single Door Lock with Strike Plate (Double Side Key only)



DFPL-7B / Single Door Lock with Strike Plate (Double Side Key only)



Specification

- Finish : Satin stainless steel (SSS)
- Suitable for holding glass with wall/fix structure
- Stainless steel 304 grade
- Adjustable + 2.5mm
- Options : Glass to Glass - 52.5
Glass to Glass - 60.0
Glass to Glass - 82.0
Glass to Glass - 103

DFPFGC-1 / Wall to Glass Connector (Adjustable)

Specification

- Finish : Satin stainless steel (SSS)
- Suitable for holding glass with floor/ceiling
- Stainless steel 304 grade
- Adjustable + 2.5mm
- Options : Glass to Glass - 75.0
Glass to Glass - 103.0

DFPFGC-2 Wall to Glass Connector (Fix)

Specification

- Finish : Satin stainless steel (SSS)
- Suitable for holding glass with glass
- Stainless steel 304 grade
- Adjustable + 2.5mm
- Options : Glass to Glass - 52.5
Glass to Glass - 60.0
Glass to Glass - 82.0
Glass to Glass - 103.0


DFPFGC-3 / Glass to Glass Connector (Adjustable)

Specification

- Finish : Satin stainless steel (SSS)
- Suitable for holding 3 glass together
- Stainless steel 304 grade
- Adjustable + 2.5mm
- Options : Glass to Glass - 52.5
Glass to Glass - 60.0
Glass to Glass - 82.0
Glass to Glass - 103.0

DFPFGC-4 Glass to Glass Connector (Adjustable with Fin)

Canopy Fittings



DFCF-1 / Wall to Glass Connector

DFCF-2 / Rod to Glass Connector

DFCF-3 / Wall to Rod Connector

DFCF-ROD / Canopy Rod with Thread

* Customized solutions can be provided according to the requirements of projects.

Fin Plates


DFFP-200 / Fin Plate 200mm
DFFP-300 / Fin Plate 300mm

DFFP-350 / Fin Plate 350mm
DFFP-400 / Fin Plate 400mm

Splice Plates

DFSP-200 / Splice Plate 200mm
DFSP-250 / Splice Plate 250mm

DFSP-300 / Splice Plate 300mm
DFSP-350 / Splice Plate 350mm





DFSF-1 / One Way Spider without Fin



DFSF-2 / Two Way Spider without Fin (180°)



DFSF-3 / Two Way Spider without Fin (90°)



DFSF-4 / Three Way Spider without Fin



DFSF-5 / Four Way Spider without Fin

Spider Fittings (without Fin)



DFSF-11 / One Way Spider with Fin



DFSF-12 / Two Way Spider with Fin (180°)



DFSF-13 / Two Way Spider with Fin (90°)



DFSF-14 / Four Way Spider with Fin

Spider Fittings (with Fin)

* Customized solutions can be provided according to the requirements of projects.



**DFSFR-1 / Articulated Routel
(Flat Head)**



**DFSFR-2 / Articulated Routel
(Counter Sunk)**



**DFSFR-3 / Fix Routel
(Flat Head)**



**DFSFR-4 / Fix Routel
(Counter Sunk)**



**DFSFR-5 / Rigid Bolt
(Flat Head/Counter Sunk)**



DFSFR-6 / Iron Assembly



Glass Door Handles

* Refer to original product for cutout and hole to hole distance.



Door Handles with Lock

DFHL-55
Size :
35x1500mm

DFHL-55
Size :
25x1340mm

DFDH-1
Sizes :
25x300x380mm
25x450x530mm
25x600x680mm
32x305x450mm
32x480x600mm
32x600x900mm
32x900x1200mm
32x1200x1500mm

DFDH-6 (Adjustable)
Sizes :
32x302x457mm
32x450x600mm

DFDH-8 Solid & Tubular
Sizes :
19mmx225mm
19mmx300mm
19mmx425mm
19mmx600mm
22mmx225mm
22mmx300mm
25mmx300mm
25mmx450mm
25mmx600mm

DFDH-3
Size :
25/45x300x400mm

DFDH-7
Size :
32x302x457mm

DFDH-24
Sizes :
19mmx225mm
19mmx300mm
19mmx425mm
19mmx600mm

DFDH-10
Size : 19x152x457mm c/c

DFDH-21 Plate Size :75mmx300mm
Handle :19mmx225mm

DFDH-22 L/R Plate Size :175mmx175mm
Handle :19mmx140mm

DFDH-23 L/R
Plate Size :175mmx175mm



Glass Railing Accessories



DFRACC-1000 / Wall to Glass Connector



DFRACC-1001
Glass to Pipe Connector



DFRACC-1002
Wall to Pipe Connector



DFRACC-1011
Handrail Support



DFRACC-1012
Handrail Support with Pivot



DFRACC-1013
Wall to Pipe Connector



DFRACC-1016
Handrail Bracket



DFRACC-1031
Rod to Rod Connector



DFDS-1 / 22mm Door Stopper on Rose



DFRACC-1005 / Glass Holder



DFRACC-1006 / Glass Holder

Mini Hinges



DFMH-1
Wall to Glass Hinge (for 6mm/8mm glass)



DFMH-2
Glass to Glass Hinge (for 6mm/8mm glass)



DFMH-11
Wall to Glass Hinge (for 6mm/8mm glass)



DFMH-22
Glass to Glass Hinge (for 6mm/8mm glass)

EN-287-1 Certified Company
ISO 9001:2008



Plot C-1, Block-D Kh. No. 56/4V, Hastal Industrial Area,
Uttam Nagar, New Delhi - 110059
email : miamindustries@yahoo.com

